

NOTICE TO WATER USERS

The following applications have been filed with the State Engineer to change water in Salt Lake County throughout the entire year unless otherwise designated. Locations in SLB&M.

a-12710 (57-69) Mount Olivet Cemetery Assn., and the Boyer Co., 675 E. 500 S., SLC, UT proposes to change the point of diversion, place and nature of use of 1.17 sec. ft. or 329.16 ac. ft. of water as evidenced by Appl. No. 9207, Cert. 2220. The water has been diverted from Emigration Creek, at a point S. 4°56' E. 1938 ft. from NW Cor. Sec. 11, T1S, R1E; and used from Mar. 1 to Nov. 30 for the irrigation of 82.29 acs. in S $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 4; NW $\frac{1}{4}$ Sec. 9; T1S, R1E.

Hereafter, 1.17 sec. ft. or 329.16 ac. ft. of water is to be diverted from the following: 1) Winkworth Spring, at a point N. 1343 ft. W. 708 ft. from SE Cor. Sec. 29; 2) Freeze Creek Spring, at a point N. 400 ft. W. 750 ft. from SE Cor. Sec. 20; 3) Twin Spring Freeze Creek, at a point N. 400 ft. W. 700 ft. from SE Cor. Sec. 20; 4) Lefthand Burr Fork Spring area, at a point N. 1850 ft. W. 2580 ft. from SE Cor. Sec. 16; 5) Thomas Spring, at a point N. 4950 ft. W. 2150 ft. from SE Cor. Sec. 16; 6) City Canyon Spring Area, at a point S. 1226 ft. E. 2200 ft. from NW Cor. Sec. 22; 7) Jeep Trail Spring, at a point S. 1500 ft. W. 1800 ft. from E $\frac{1}{4}$ Cor. Sec. 15; 8) a 12-inch well, 300-800 ft. deep, at a point N. 800 ft. W. 750 ft. from SE Cor. Sec. 20; 9) a 12-inch well, 300-800 ft. deep, at a point N. 150 ft. W. 850 ft. from SE Cor. Sec. 20; 10) a 12-inch well, 300-800 ft. deep, at a point N. 1500 ft. E. 1080 ft. from SW Cor. Sec. 28; 11) a 12-inch well, 300-800 ft. deep, at a point S. 2100 ft. W. 2400 ft. from NE Cor. Sec. 32; 12) a 12-inch well, 300-800 ft. deep, at a point N. 1975 ft. E. 650 ft. from SW Cor. Sec. 32; 13) a 12-inch well, 300-800

ft. deep, at a point N. 110 ft. W. 1550 ft. from SE Cor. Sec. 31; 14) a 12-inch well, 300-800 ft. deep, at a point N. 1275 ft. W. 1400 ft. from SE Cor. Sec. 29; 15) a 12-inch well, 300-800 ft. deep, at a point N. 1410 ft. W. 995 ft. from SE Cor. Sec. 29; 16) a 12-inch well, 300-800 ft. deep, at a point S. 2525 ft. W. 1600 ft. from NE Cor. Sec. 28; 17) a 6-inch well, 155 ft. deep, at a point N. 1240 ft. E. 160 ft. from SW Cor. Sec. 32; 18) a 10-inch well, 250 ft. deep, at a point N. 133 ft. W. 259 ft. from SE Cor. Sec. 31; 19) a horizontal 4-inch well, 100-200 ft. long, at a point N. 425 ft. W. 750 ft. from SE Cor. Sec. 20, all T1N, R2E (Emigration Canyon); and used for the domestic purposes of 658 families; and from Apr. 1 to Oct. 31 for the supplemental irrigation of 9.655 acs., but limited to the sole supply of 8.265 acs. in SW $\frac{1}{4}$ Sec. 14; S $\frac{1}{2}$ S $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15; Sec. 16; SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 20; N $\frac{1}{2}$, N $\frac{1}{2}$ S $\frac{1}{2}$ Sec. 21; E $\frac{1}{2}$ E $\frac{1}{2}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22; NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 27; S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$ Sec. 28; S $\frac{1}{2}$ Sec. 29; S $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 31; N $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ Sec. 32; NW $\frac{1}{4}$, N $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 33; all T1N, R2E.

a-12711 (57-2526) Mount Olivet Cemetery Assn., and the Boyer Co., 675 E. 500 S., SLC, UT proposes to change the point of diversion, place and nature of use of 1.2 sec. ft. or 329.16 ac. ft. of water as evidenced by Appl. No. 26456, Cert. 8139, and as amended by Ch. Appl. a-5313. The water has been diverted from a 16-inch well, 470 ft. deep, at a point N. 2366 ft. W. 3708 ft. from E $\frac{1}{4}$ Cor. Sec. 9, T1S, R1E; and used from Mar. 1 to Nov. 30 for the irrigation of 72.84 acs. in S $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 4; NW $\frac{1}{4}$ Sec. 9, T1S, R1E.

Hereafter, 1.2 sec. ft. or 329.16 ac. ft. of water is to be diverted from the following: 1) Winkworth Spring, at a point N. 1343 ft. W. 708 ft. from SE Cor. Sec. 29; 2) Freeze Creek Spring, at a point N. 400 ft. W. 750 ft. from SE Cor. Sec. 20; 3) Twin Spring Freeze Creek, at a point N. 400 ft. W. 700 ft. from SE Cor. Sec. 20; 4) Lefthand Burr Fork Spring area, at a point N. 1850

ft. W. 2580 ft. from SE Cor. Sec. 16; 5) Thomas Spring, at a point N. 4950 ft. W. 2150 ft. from SE Cor. Sec. 16; 6) City Canyon Spring Area, at a point S. 1226 ft. E. 2200 ft. from NW Cor. Sec. 22; 7) Jeep Trail Spring, at a point S. 1500 ft. W. 1800 ft. from E $\frac{1}{4}$ Cor. Sec. 15; 8) a 12-inch well, 300-800 ft. deep, at a point N. 800 ft. W. 750 ft. from SE Cor. Sec. 20; 9) a 12-inch well, 300-800 ft. deep, at a point N. 150 ft. W. 850 ft. from SE Cor. Sec. 20; 10) a 12-inch well, 300-800 ft. deep, at a point N. 1500 ft. E. 1080 ft. from SW Cor. Sec. 28; 11) a 12-inch well, 300-800 ft. deep, at a point S. 2100 ft. W. 2400 ft. from NE Cor. Sec. 32; 12) a 12-inch well, 300-800 ft. deep, at a point N. 1975 ft. E. 650 ft. from SW Cor. Sec. 32; 13) a 12-inch well, 300-800 ft. deep, at a point N. 110 ft. W. 1550 ft. from SE Cor. Sec. 31; 14) a 12-inch well, 300-800 ft. deep, at a point N. 1275 ft. W. 1400 ft. from SE Cor. Sec. 29; 15) a 12-inch well, 300-800 ft. deep, at a point N. 1410 ft. W. 995 ft. from SE Cor. Sec. 29; 16) a 12-inch well, 300-800 ft. deep, at a point S. 2525 ft. W. 1600 ft. from NE Cor. Sec. 28; 17) a 6-inch well, 155 ft. deep, at a point N. 1240 ft. E. 160 ft. from SW Cor. Sec. 32; 18) a 10-inch well, 250 ft. deep, at a point N. 133 ft. W. 259 ft. from SE Cor. Sec. 31; 19) a horizontal 4-inch well, 100-200 ft. long, at a point N. 425 ft. W. 750 ft. from SE Cor. Sec. 20, all T1N, R2E (Emigration Canyon); and used for the domestic purposes of 658 families; and from Apr. 1 to Oct. 31 for the supplemental irrigation of 9.655 acs., but limited to the sole supply of 8.265 acs. in SW $\frac{1}{4}$ Sec. 14; S $\frac{1}{2}$ S $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15; Sec. 16; SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 20; N $\frac{1}{2}$, N $\frac{1}{2}$ S $\frac{1}{2}$ Sec. 21; E $\frac{1}{2}$ E $\frac{1}{2}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22; NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 27; S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$ Sec. 28; S $\frac{1}{2}$ Sec. 29; S $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 31; N $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ Sec. 32; NW $\frac{1}{4}$, N $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 33; all T1N, R2E.

a-12712 (57-7479) Bertagnole Investment Co., c/o Emanuel A. Floor, 2205 Country Club Dr, SLC, UT proposes to change the point of diversion, place and

nature of use of 0.25 sec. ft. or 42.8 ac. ft. of water as evidenced by Water Users Claim 57-7479. The water has been diverted from Freeze Creek, at the following points: 1) N. 425 ft. W. 910 ft; 2) S. 546 ft. W. 667 ft.; both from SE Cor. Sec. 20, T1N, R2E; and used from Apr. 1 to July 15 for the irrigation of 21.6 acs. in SW $\frac{1}{4}$ Sec. 28; E $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 29; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32, T1N, R2E.

Hereafter, 0.25 sec. ft. or 42.8 ac. ft. of water is to be diverted from the following: 1) Winkworth Spring, at a point N. 1343 ft. W. 708 ft. from SE Cor. Sec. 29; 2) Freeze Creek Spring, at a point N. 400 ft. W. 750 ft. from SE Cor. Sec. 20; 3) Twin Spring Freeze Creek, at a point N. 400 ft. W. 700 ft. from SE Cor. Sec. 20; 4) Lefthand Burr Fork Spring area, at a point N. 1850 ft. W. 2580 ft. from SE Cor. Sec. 16; 5) Thomas Spring, at a point N. 4950 ft. W. 2150 ft. from SE Cor. Sec. 16; 6) City Canyon Spring Area, at a point S. 1226 ft. E. 2200 ft. from NW Cor. Sec. 22; 7) Jeep Trail Spring, at a point S. 1500 ft. W. 1800 ft. from E $\frac{1}{4}$ Cor. Sec. 15; 8) a 12-inch well, 300-800 ft. deep, at a point N. 800 ft. W. 750 ft. from SE Cor. Sec. 20; 9) a 12-inch well, 300-800 ft. deep, at a point N. 150 ft. W. 850 ft. from SE Cor. Sec. 20; 10) a 12-inch well, 300-800 ft. deep, at a point N. 1500 ft. E. 1080 ft. from SW Cor. Sec. 28; 11) a 12-inch well, 300-800 ft. deep, at a point S. 2100 ft. W. 2400 ft. from NE Cor. Sec. 32; 12) a 12-inch well, 300-800 ft. deep, at a point N. 1975 ft. E. 650 ft. from SW Cor. Sec. 32; 13) a 12-inch well, 300-800 ft. deep, at a point N. 110 ft. W. 1550 ft. from SE Cor. Sec. 31; 14) a 12-inch well, 300-800 ft. deep, at a point N. 1275 ft. W. 1400 ft. from SE Cor. Sec. 29; 15) a 12-inch well, 300-800 ft. deep, at a point N. 1410 ft. W. 995 ft. from SE Cor. Sec. 29; 16) a 12-inch well, 300-800 ft. deep, at a point S. 2525 ft. W. 1600 ft. from NE Cor. Sec. 28; 17) a 6-inch well, 155 ft. deep, at a point N. 1240 ft. E. 160 ft. from SW Cor. Sec. 32; 18) a 10-inch well, 250 ft. deep, at a point N. 133 ft. W. 259 ft. from SE Cor. Sec. 31; 19) a

horizontal 4-inch well, 100-200 ft. long, at a point N. 425 ft. W. 750 ft. from SE Cor. Sec. 20, all T1N, R2E (Emigration Canyon); and used for the domestic purposes of 85 families; and from Apr. 1 to Oct. 31 for the supplemental irrigation of 9.655 acs., but limited to the sole supply of 1.14 acs. in SW $\frac{1}{4}$ Sec. 14; S $\frac{1}{2}$ S $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15; Sec. 16; SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 20; N $\frac{1}{2}$, N $\frac{1}{2}$ S $\frac{1}{2}$ Sec. 21; E $\frac{1}{2}$ E $\frac{1}{2}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22; NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 27; S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$ Sec. 28; S $\frac{1}{2}$ Sec. 29; S $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 31; N $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ Sec. 32; NW $\frac{1}{4}$, N $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 33; all T1N, R2E.

a-12715 (59-4259) Harvey Pulley, 3366 W. 9000 S., West Jordan, UT proposes to change the place and nature of use of 0.1 sec. ft. of water as evidenced by Appl. 46727. The water has been diverted from a 6-inch well, 100-500 ft. deep, at a point N. 200 ft. W. 1100 ft. from E $\frac{1}{4}$ Cor. Sec. 5, T3S, R1W (4 mi W. of Midvale); and used for stockwatering 5 cattle, 10 pigs, 2 horses; and from Apr. 1 to Oct. 31 for the irrigation of 2.5 acs. in SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 5, T3S, R1W.

Hereafter, 0.1 sec. ft. of water is to be diverted from same as heretofore; and used for the domestic purposes of 1 family, stockwatering same as heretofore; and from Apr. 1 to Oct. 31 for the irrigation of 2.41 acs. in S $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 5, T3S, R1W.

Protests resisting the granting of these applications with reasons there-fore must be filed in duplicate with the State Engineer, 1636 W. North Temple, SLC, UT 84116, on or before July 30, 1983.

Dee C. Hansen, P.E.
STATE ENGINEER

Published in the Deseret News June 16, 23, and 30, 1983.